

CONTENTS

| | |
|---|-----------|
| Foreword (<i>Štefan Michna</i>) | 5 |
| Acknowledgements (<i>Štefan Michna</i>) | 7 |
| I. SUMMARY OF PRODUCTION AND USE OF ALUMINIUM AND ALUMINIUM ALLOYS | 16 |
| 1.1. Raw material resources for aluminium production (<i>Andrea Miškufová, Tomáš Havlík</i>) | 16 |
| 1.1.1. Bauxite and its formulations | 16 |
| 1.1.2. Bauxite deposits | 17 |
| 1.2. World production of Aluminium from 1950 to 2005 and its perspective (<i>Ivan Lukáč</i>) | 18 |
| 1.3. The areas of using aluminium and aluminium alloys (<i>Štefan Michna, Petr Louda</i>) | 19 |
| 1.3.1. Aluminium in transport | 20 |
| 1.3.2. Aluminium in civil engineering | 27 |
| 1.3.3. Aluminium in the food industry | 28 |
| 1.3.4. Other areas of use of aluminium and aluminium alloys | 30 |
| 1.4. Review of aluminium alloys (<i>Ivan Lukáč</i>) | 31 |
| 1.4.1. Review of the cast aluminium alloys | 31 |
| 1.4.2. Review of the wrought aluminium alloys | 32 |
| 1.5. Production of alumina from bauxite (<i>Andrea Miškufová, Tomáš Havlík</i>) | 34 |
| 1.6. Bayer and sintering method of alumina production (<i>Andrea Miškufová, Tomáš Havlík</i>) | 35 |
| 1.6.1. Bayer method | 35 |
| 1.6.2. Technology of Bayer's method | 36 |
| 1.6.3. Description of Bayer process steps | 37 |
| 1.6.4. Sintering method for Al_2O_3 production | 49 |
| 1.7. Combined methods of alumina production (<i>Andrea Miškufová, Tomáš Havlík</i>) | 55 |
| 1.8. Aluminium electrolysis production (<i>Andrea Miškufová, Tomáš Havlík</i>) | 57 |
| 1.9. Alternative methods of aluminium production and modern trends in technology development (<i>Andrea Miškufová, Tomáš Havlík</i>) | 76 |
| 1.10. Theoretical aspects of hydrogen solubility in molten aluminium (<i>Karel Tomášek</i>) | 84 |
| 2. PROPERTIES OF ALUMINIUM AND ITS ALLOYS | 91 |
| 2.1. Introduction (<i>Ivan Lukáč</i>) | 91 |
| 2.2. Physical properties of aluminium (<i>Ivan Lukáč</i>) | 91 |
| 2.3. Physical metallurgy of aluminium and its alloys (<i>Ivan Lukáč</i>) | 91 |
| 2.4. Technological properties of aluminium and aluminium alloys (<i>Vladívoř Očenášek</i>) | 97 |
| 2.4.1. Ductility | 97 |
| 2.4.2. Weldability | 97 |
| 2.4.3. Workability | 102 |
| 2.5. Chemical properties of aluminium and its alloys (<i>Dalibor Vojtěch</i>) | 105 |
| 2.6. Mechanical, fatigue and fracture properties of aluminium and aluminium alloys (<i>Vladívoř Očenášek</i>) | 109 |
| 2.6.1. Mechanical properties | 109 |
| 2.6.2. Fatigue properties | 117 |
| 2.6.3. Fracture properties | 122 |
| 2.7. Selected aluminium – admixture binary systems (<i>Jaromír Drápala</i>) | 128 |
| 2.7.1. Al – B system | 135 |
| 2.7.2. Al – Bi system | 136 |
| 2.7.3. Al – Cr system | 137 |
| 2.7.4. Al – Cu system | 139 |
| 2.7.5. Al – Fe system | 142 |
| 2.7.6. Al – Li system | 144 |
| 2.7.7. Al – Mg system | 145 |
| 2.7.8. Al – Mn system | 147 |

| | | |
|-----------|---|------------|
| 2.7.9. | Al – Ni system | 149 |
| 2.7.10. | Al – Pb system | 151 |
| 2.7.11. | Al – Si system | 151 |
| 2.7.12. | Al – Sn system | 153 |
| 2.7.13. | Al – Ti system | 153 |
| 2.7.14. | Al – Zn system | 155 |
| 2.8. | Selected aluminium – admixture ternary diagrams (<i>Jaromír Drápala</i>) | 157 |
| 2.8.1. | Al – Bi – Pb system | 158 |
| 2.8.2. | Al – Bi – Sn system | 159 |
| 2.8.3. | Al – Cu – Mg system | 160 |
| 2.8.4. | Al – Cu – Si system | 165 |
| 2.8.5. | Al – Cu – Zn system | 167 |
| 2.8.6. | Al – Mg – Si system | 170 |
| 2.8.7. | Al – Mg – Zn system | 174 |
| 2.8.8. | Al – Mn – Zn system | 179 |
| 2.8.9. | Al – Cu – Mn system | 181 |
| 2.8.10. | Al – Cr – Fe system | 182 |
| 2.9. | Segregation coefficients in aluminium (<i>Jaromír Drápala</i>) | 183 |
| 2.9.1. | Definition of the equilibrium segregation coefficient and its determination | 183 |
| 2.9.2. | Segregation coefficients of admixtures in aluminium | 184 |
| 2.9.3. | Periodical correlation dependence of segregation coefficients k_s of admixtures in aluminium and their importance for practice and control of processes on the crystal – melt interface | 186 |
| 2.9.4. | Curves of solubility of admixtures in the α solid solution of aluminium alloys | 189 |
| 2.10. | Interval of solidification and methods of its determination (<i>Jaromír Drápala</i>) | 190 |
| 3. | CORROSION OF ALUMINIUM AND ALUMINIUM ALLOYS (<i>JARMILA ŠEVČÍKOVÁ</i>) | 192 |
| 3.1. | Corrosion properties of aluminium and aluminium alloys | 192 |
| 3.2. | The effect of chemical composition on corrosion resistance | 193 |
| 3.3. | Types of aluminium and aluminium alloy corrosions | 194 |
| 3.3.1. | Point corrosion | 195 |
| 3.3.2. | Inter-crystalline corrosion | 196 |
| 3.3.3. | Layered corrosion | 198 |
| 3.3.4. | Corrosion cracking | 198 |
| 3.3.5. | Corrosion fatigue | 199 |
| 3.3.6. | Vibration corrosion | 199 |
| 3.3.7. | Contact corrosion | 199 |
| 3.4. | The effects of various environment on aluminium and aluminium alloys | 200 |
| 3.4.1. | Electro-chemical corrosion | 200 |
| 3.4.2. | Chemical corrosion | 206 |
| 3.5. | Corrosion performance of aluminium in European atmospheres (<i>Kateřina Kreislová, Dagmar Knotková, Irena Skořepová</i>) | 207 |
| 4. | MELTING AND CASTING OF ALUMINIUM AND ALUMINIUM ALLOYS (<i>RUDOLF KOŘENÝ</i>) | 215 |
| 4.1. | General know-how on melting and casting of aluminium alloys | 215 |
| 4.2. | Technology for aluminium-based alloy preparation | 224 |
| 4.3. | Furnaces and plants for melting and casting aluminium and aluminium alloys | 229 |
| 4.4. | Refining and treatment of molten metal | 233 |
| 4.5. | Refining the structure of aluminium alloys (<i>Peter Benko</i>) | 236 |
| 4.6. | Grain refining of silumins with new additions (<i>Peter Benko</i>) | 242 |
| 4.7. | Production of cast pieces in sand moulds | 244 |
| 4.8. | Casting of cast pieces in non-traditional moulds | 251 |
| 4.9. | Low pressure die and vacuum casting | 254 |
| 4.10. | Gravity and centrifugal casting | 258 |
| 4.11. | Precise casting of aluminium alloys | 262 |

| | | |
|--|---|-----|
| 4.12. | Pressure casting | 267 |
| 4.13. | Casting in magnetic and ultrasonic field | 272 |
| 4.14. | Semi-continuous casting in indirectly water-chilled crystallizers | 273 |
| 4.15. | New methods of pressure die-casting (<i>Iva Nová, Petr Louda</i>) | 274 |
| 4.16. | Simulating software MAGMASoft® for casting Al alloys (<i>Petr Vrábek</i>) | 285 |
| 4.16.1. | Introduction | 285 |
| 4.16.2. | Gravitational pouring | 285 |
| 4.16.3. | Low pressure casting | 286 |
| 4.16.4. | High pressure casting | 287 |
| 4.16.5. | Squeeze casting | 288 |
| 4.16.6. | Thixotropic casting | 289 |
| 4.16.7. | Calculation of stresses and deformations | 289 |
| 4.16.8. | Conclusion | 290 |
| 5. WROUGHT PROCESSING OF ALUMINIUM AND ALUMINIUM ALLOYS (<i>VLADIVOJ OČENÁŠEK</i>)291 | | |
| 5.1. | Aluminium and aluminium alloy hot extrusion | 291 |
| 5.1.1. | Direct extrusion | 292 |
| 5.1.2. | Indirect extrusion | 293 |
| 5.1.3. | Hydrostatic extrusion | 294 |
| 5.1.4. | “Conform” extrusion | 294 |
| 5.1.5. | Other extrusion methods | 295 |
| 5.1.6. | Extrusion capability of aluminium alloys and the effect of extrusion conditions | 298 |
| 5.1.7. | Extrusion-related technological operations | 300 |
| 5.1.8. | Defects of extrusions | 303 |
| 5.1.9. | Non-homogeneity and anisotropy of the structure and properties of extrusions | 304 |
| 5.2. | Rolling of the aluminium and aluminium alloys (<i>Karel Brada</i>) | 307 |
| 5.2.1. | Introduction | 307 |
| 5.2.2. | The scheme of production | 308 |
| 5.2.3. | Aluminium alloys for rolling | 309 |
| 5.2.4. | The reroll stock production | 310 |
| 5.2.5. | Cold rolling | 311 |
| 5.2.6. | Rolling process control | 312 |
| 5.2.7. | Final operations | 317 |
| 5.2.8. | Mechanical properties of sheets, strips and plates | 317 |
| 5.2.9. | Semi-products from the sheets and strips | 319 |
| 5.2.10. | Properties of foils | 319 |
| 5.2.11. | Terms and abbreviations | 320 |
| 5.3. | Forging aluminium and aluminium alloys | 321 |
| 5.3.1. | The effect of temperature and speed of deformation | 321 |
| 5.3.2. | Methods of forging | 323 |
| 5.3.3. | Stock and forging-associated technological operations | 325 |
| 5.3.4. | Homogeneity of structure and of forged piece’s properties | 326 |
| 5.4. | Cold drawing of aluminium and aluminium alloys wires, rods and tubes | 328 |
| 5.4.1. | Drawing of wires | 330 |
| 5.4.2. | Drawing rods and tubes | 331 |
| 5.5. | Bending of rods, profiles and tubes | 333 |
| 5.6. | Wrought processing of metal sheets | 335 |
| 5.7. | New trends in using aluminium and its alloys in the automotive industry (<i>Petr Louda, Štěpánka Tůmová, Zbigniew Rożek</i>) | 339 |
| 5.7.1. | Importance of aluminium and its alloys to the glass industry | 339 |
| 5.7.2. | Examples of applications of aluminium and its alloys in the automotive industry | 339 |
| 5.7.3. | Why aluminium is important for automotive industry? | 342 |
| 5.7.4. | Hydroforming | 344 |
| 5.7.5. | Two-dimensional forming – bending | 345 |
| 5.7.6. | Forming in the third dimension – hydroforming | 345 |
| 5.7.7. | Combining functions in the hydroforming process | 346 |

| | | |
|--|---|------------|
| 5.7.8. | Connecting | 346 |
| 5.7.9. | Future development | 346 |
| 5.7.10. | Conclusion | 346 |
| 5.8. | Dies materials used in secondary aluminium production (<i>Viktor Zábavník</i>) | 347 |
| 5.8.1. | The effect of different factors on dies in secondary aluminium production | 347 |
| 5.8.2. | Classic and progressive approach to material solution for dies | 349 |
| 5.8.3. | Dies for the extrusion of aluminium alloys | 351 |
| 5.8.4. | Die types for extrusion | 352 |
| 5.8.5. | Dies for rolling aluminium wire | 353 |
| 5.8.6. | Dies for die casting of aluminium alloys | 354 |
| 5.8.7. | Dies for cold wrought processing | 356 |
| 5.8.8. | Some newer technologies focused on improvement of tribological properties of the die surface | 356 |
| 5.8.8.1. | Hardening of surface layers using hybrid technologies | 356 |
| 5.8.8.2. | Development of thin film-like surface layers | 358 |
| 6. HEAT TREATING OF ALUMINIUM AND ITS ALLOYS (<i>IVAN LUKÁČ</i>) | | 359 |
| 6.1. | Introduction | 359 |
| 6.2. | Methods of heat treating aluminium and its alloys | 359 |
| 6.3. | Notes as to heat treating individual groups from the viewpoint of physical metallurgy | 369 |
| 6.4. | Basic temper designation system for aluminium alloys | 374 |
| 6.5. | Recommended technological heat treatment parameters | 375 |
| 6.6. | Equipment for heat treating | 380 |
| 7. THE STRUCTURE AND DEFECTS IN ALUMINIUM AND ALUMINIUM ALLOYS (<i>ŠTEFAN MICHNA</i>) ... | | 381 |
| 7.1. | Metallographic preparation of aluminium alloys (<i>George F. Vander Voort, Elena P. Manilova</i>) | 381 |
| 7.1.2. | Introduction | 381 |
| 7.1.3. | Metallographic specimen preparation experiments | 381 |
| 7.1.4. | Etching experiments | 389 |
| 7.1.5. | Conclusions | 391 |
| 7.2. | The development and application of colour contrast in aluminium and aluminium alloys for structure and defect identification | 392 |
| 7.2.1. | The possibilities of development and utilisation of colour contrast in aluminium alloys | 392 |
| 7.2.2. | Polarised light in aluminium alloys | 392 |
| 7.2.3. | Colour etching in aluminium alloys | 394 |
| 7.2.4. | Deposited interference layers | 397 |
| 7.2.5. | Colour metallography and EDX analysis in identification of Cr particles | 398 |
| 7.2.6. | Colour metallography and EDX analysis in identification of Zr particles | 399 |
| 7.2.7. | Colour metallography and EDX analysis in identification of Fe particles | 400 |
| 7.2.8. | Colour metallography and EDX analysis in the examination of chemical inhomogeneity of dendrite cells | 401 |
| 7.2.9. | Conclusion | 405 |
| 7.3. | The structure of aluminium and aluminium alloys | 406 |
| 7.3.1. | Metallographic test methods | 406 |
| 7.3.2. | The structures of the cast state of aluminium Al 99.99% | 407 |
| 7.3.3. | The structures of the cast state of aluminium purity Al 99.6% | 407 |
| 7.3.4. | The structures of the cast state of AlMgSi1 alloy | 408 |
| 7.3.5. | The structures of the cast state of AlCu4Mg1 alloy | 408 |
| 7.3.6. | The structures of the cast condition of AlCu4MgMn alloy | 409 |
| 7.3.7. | The structures of the cast condition of AlZn6MgCu alloy | 410 |
| 7.3.8. | The structures of the formed condition of AlMgSiPb alloy | 411 |
| 7.3.9. | The structures of the cast condition of Al – Si type phases | 411 |
| 7.3.10. | Identification of the inter-metallic phases for AlCu5.5PbBi alloy | 413 |
| 7.3.11. | Identification of the inter-metallic phases for AlCu4SiMn alloy | 414 |
| 7.3.12. | Identification of the inter-metallic phases for AlZn6MgCu1.5 alloy | 414 |

| | | |
|-----------|---|------------|
| 7.3.13. | Identification of the inter-metallic phases for AlTi5B1 alloy | 415 |
| 7.3.14. | Identification of the inter-metallic phases for AlFe10 alloy | 415 |
| 7.4. | Defects in aluminium alloys detected in the macrostructure of cast shafts and pressed semi-finished products (<i>Štefan Michna, Jozef Mikloška</i>) | 416 |
| 7.4.1. | Characteristics of defects detected in the macrostructure | 416 |
| 7.4.2. | Gassing – macro-porosity | 417 |
| 7.4.3. | Macroscopic metallic or nonmetallic inclusions | 417 |
| 7.4.4. | Bubbles | 418 |
| 7.4.5. | Deposit extruded section | 419 |
| 7.4.6. | Transverse cracks | 420 |
| 7.4.7. | Inner cracks | 421 |
| 7.4.8. | The coarse-grained surface layer | 421 |
| 7.4.9. | Structural inhomogeneity of the material | 422 |
| 7.4.10. | Pulled-in cone | 422 |
| 7.4.11. | Surface defects | 424 |
| 7.4.12. | Cold welds | 425 |
| 7.5. | Defects in aluminium and aluminium alloys detected in the microstructure (<i>Štefan Michna, Petr Louda</i>) | 426 |
| 7.5.1. | Inclusions in aluminium and aluminium alloys | 426 |
| 7.5.1.1. | Oxide films | 426 |
| 7.5.1.2. | Oxide inclusions and oxide films | 428 |
| 7.5.1.3. | Foreign non-metallic inclusions | 431 |
| 7.5.1.4. | Boride inclusions | 432 |
| 7.5.2. | Undissolved metals and master alloys | 432 |
| 7.5.3. | Undissolved silicon | 433 |
| 7.5.4. | Undissolved zirconium particles | 435 |
| 7.5.5. | Clusters of undissolved Cr particles | 436 |
| 7.5.6. | Clusters of particles and large particles of undissolved lead and bismuth | 437 |
| 7.5.7. | Particles of non-dissolved manganese and iron | 438 |
| 7.5.8. | Overheating of aluminium alloys | 439 |
| 7.5.9. | Microporosity in aluminium alloys | 440 |
| 7.5.10. | Coarse intermetallic phases and clusters of phases | 442 |
| 7.6. | Grain in aluminium and its alloys in the cast and formed condition | 443 |
| 7.6.1. | The grains in the cast conditions | 443 |
| 7.6.2. | The deviations from the globular shape of the cast grains | 444 |
| 7.6.3. | The grain in a formed condition – non-recrystallized structure | 445 |
| 7.6.4. | The recrystallized structure | 446 |
| 7.6.5. | The shape of recrystallized grains | 447 |
| 7.6.6. | The partially recrystallized structure | 449 |
| 7.6.7. | Anomalous structures of the recrystallized grains | 450 |
| 7.7. | Analysis of the substructure | 453 |
| 7.7.1. | Transmission electron microscopy – TEM | 453 |
| 7.7.2. | Examples of examination of the substructure of aluminium alloys | 453 |
| 7.8. | Fractures and fracture surfaces | 461 |
| 7.8.1. | Fractography | 461 |
| 7.8.2. | Several typical examples of fracture surfaces and failure of aluminium alloys | 463 |
| 8. | SURFACE TREATMENT OF ALUMINIUM AND ALUMINIUM ALLOYS (<i>HEINZ SCHNEIDER, MICHAL PALKO</i>).... | 469 |
| 8.1. | Anodic oxidation of aluminium | 469 |
| 8.2. | Theory of layer development | 470 |
| 8.3. | Physical and chemical properties of layers from anodic oxidation | 471 |
| 8.4. | Various methods of aluminium anodic oxidation (anodising) | 474 |
| 8.4.1. | Direct current – sulphuric acid method (GS method) | 474 |
| 8.4.2. | Oxalic acid – oxalic acid method | 475 |
| 8.4.3. | Chromic acid method | 475 |
| 8.4.4. | Enamel method | 475 |

| | | |
|----------|--|-----|
| 8.5. | Effect of aluminium material composition, alloy, drawing and casting on the properties of oxide layers | 476 |
| 8.6. | Aluminium anodising technology | 477 |
| 8.6.1. | Pre-treatment of aluminium before anodising | 479 |
| 8.6.2. | Mechanical surface treatment | 479 |
| 8.6.3. | Chemical pre-treatment | 480 |
| 8.6.4. | Anodising – process technology | 485 |
| 8.6.5. | Errors, their reasons and removal | 486 |
| 8.7. | Dyeing Methods | 488 |
| 8.7.1. | Chemical inorganic dyeing | 490 |
| 8.7.2. | Adsorption dyeing using organic dyes | 491 |
| 8.8. | Electrolytic dyeing | 492 |
| 8.8.1. | Electrolytic dyeing using two-stage method | 492 |
| 8.8.2. | Appearance errors from electrolytic two-stage dyeing | 494 |
| 8.8.3. | Electrolytic dyeing of special alloys (integral method) | 496 |
| 8.8.4. | Electrolytic colouring (integral procedure) using the single-stage method | 497 |
| 8.8.5. | Electrolytic dyeing using the interference method | 497 |
| 8.9. | Sealing of the oxidic layers | 498 |
| 8.9.1. | Hot water sealing | 499 |
| 8.9.2. | Sealing in a solution of metal salts at temperatures > 96°C | 501 |
| 8.9.3. | Cold sealing (cold impregnation) | 501 |
| 8.9.4. | Low temperature sealing (medium temperature sealing) | 503 |
| 8.9.5. | Sealing quality check | 504 |
| 8.9.6. | Reason for sealing errors in practice | 504 |
| 8.9.7. | Summary of methods for post-anodic oxidation layer testing | 506 |
| 8.10. | Methods for aluminium chemical pre-treatment before powder and wet lacquering | 506 |
| 8.10.1. | Various methods | 507 |
| 8.10.2. | Chromate treatment method | 509 |
| 8.10.3. | Yellow chromate treatment | 510 |
| 8.10.4. | Green chromate treatment | 511 |
| 8.10.5. | Transparent chromate treatment | 512 |
| 8.10.6. | Reasons for errors in yellow chromate treatment | 513 |
| 8.10.7. | No-rinse: procedures with chrome content | 513 |
| 8.10.8. | Chrome-free methods | 514 |
| 8.10.9. | Titanium – zirconium method | 515 |
| 8.10.10. | Cerium method | 517 |
| 8.10.11. | SAM method | 518 |
| 8.10.12. | Silane technology | 518 |
| 8.10.13. | Test methods/standards for chemical aluminium pre-treatment | 519 |

9. POWDER METALLURGY OF ALUMINIUM (*JURAJ ĎURIŠIN, MĀRIA OROLÍNOVĀ, KATARÍNA ĎURIŠINOVĀ*) ..520

| | | |
|----------|--|-----|
| 9.1. | Powder metallurgy in general | 520 |
| 9.2. | Properties and production of aluminium powder and its alloys | 521 |
| 9.2.1. | Properties of aluminium powder and its alloys | 521 |
| 9.2.1.1. | Properties of the powders | 521 |
| 9.2.1.2. | Properties of aluminium powders | 522 |
| 9.2.1.3. | Properties of the powder aluminium alloys | 522 |
| 9.2.2. | Aluminium powder fabrication and its alloys | 523 |
| 9.2.2.1. | Method of melt atomization | 523 |
| 9.2.2.2. | Rapid solidification method | 524 |
| 9.2.2.3. | Mechanical alloying | 525 |
| 9.2.2.4. | Reaction milling | 526 |
| 9.2.2.5. | Nanotechnologies | 527 |
| 9.3. | Powder compaction | 527 |
| 9.3.1. | Precompaction | 527 |
| 9.3.2. | Cold compaction | 528 |

| | | |
|---|---|------------|
| 9.3.3. | Sintering | 529 |
| 9.3.4. | Post-sintering operations | 530 |
| 9.3.5. | Hot compaction | 530 |
| 9.3.6. | Spray forming | 532 |
| 9.4. | Composite materials prepared using powder metallurgy techniques | 532 |
| 9.4.1. | Characteristic of composites | 532 |
| 9.4.2. | Application Examples of Powder Aluminium Matrix Composites | 534 |
| 9.5. | Aluminium alloy properties in relation to microstructure | 534 |
| 9.5.1. | Strengthening mechanisms in powder aluminium alloys | 534 |
| 9.5.2. | Deformation mechanisms at elevated temperatures | 535 |
| 9.5.3. | Relations between the microstructure and properties of various aluminium alloys | 536 |
| 9.6. | Applications of powder metallurgy materials | 541 |
| 9.6.1. | Applications of aluminium powder | 541 |
| 9.6.2. | Applications of powder metallurgy aluminium alloys | 541 |
| 10. NEW MATERIALS AND TECHNOLOGIES | | 543 |
| 10.1. | Aluminium-matrix composites (<i>Dalibor Vojtěch</i>) | 543 |
| 10.1.1. | Definition and classification of composites | 543 |
| 10.1.2. | Properties and manufacture of reinforcements in aluminium matrix composites | 544 |
| 10.1.2.1. | Fibers | 544 |
| 10.1.2.2. | Particles | 547 |
| 10.1.3. | Properties of fiber reinforced aluminium matrix composites | 547 |
| 10.1.3.1. | Factors which determine efficiency of fiber reinforcement | 547 |
| 10.1.3.2. | Young's modulus and tensile strength of composites | 549 |
| 10.1.3.3. | Fatigue of composites..... | 552 |
| 10.1.4. | Properties of particle reinforced aluminium matrix composites | 553 |
| 10.1.5. | Manufacture of fiber reinforced aluminium matrix composites | 554 |
| 10.1.6. | Manufacture of particle reinforced aluminium matrix composites | 555 |
| 10.1.7. | Selected aluminium matrix composites | 558 |
| 10.2. | Rapidly solidified aluminium alloys with ultra-high strength and thermal stability (<i>Dalibor Vojtěch</i>) | 560 |
| 10.2.1. | History | 560 |
| 10.2.2. | Attributes of rapidly solidified state | 560 |
| 10.2.2.1. | Refined structure | 560 |
| 10.2.2.2. | Supersaturated solid solutions and suppression of microsegregation | 562 |
| 10.2.2.3. | Metastable phases | 563 |
| 10.2.2.4. | Change of crystallization mechanism | 564 |
| 10.2.3. | Methods of rapid solidification | 565 |
| 10.2.4. | Rapidly solidified aluminium alloys with ultra-high strength | 567 |
| 10.2.5. | Rapidly solidified aluminium alloys with high thermal stability | 568 |
| 10.3. | Production and industrial applications of aluminium foam (<i>Jaroslav Jerz</i>) | 571 |
| 10.4. | Aluminium decorative pigments (<i>Lubomír Zahradník</i>) | 582 |
| 10.4.1. | Introduction | 582 |
| 10.4.2. | Application methods | 582 |
| 10.4.3. | Aluminium pigments production | 582 |
| 10.4.4. | Aluminium pigments' properties | 583 |
| 10.4.4.1. | Physical properties | 583 |
| 10.4.4.2. | Shape | 584 |
| 10.4.4.3. | Optical properties | 584 |
| 10.4.5. | Aluminium pigments protection | 585 |
| 10.4.5.1. | Stabilisation by inhibitors | 586 |
| 10.4.5.2. | Barrier protection | 586 |
| 10.4.6. | Conclusions | 588 |
| References | | 589 |
| Profiles of the authors | | 607 |
| Advertisements..... | | 614 |

Each chapter is presented by several authors, further from the beginning of the book. Each will do their part, then.